

PRODUCT CATALOG

VOLUME 25 - VERSION C

*innovation in
packaging tools &
equipment*

STEEL TENSIONERS



EP-1400



Compact Feedwheel Tensioner

| |
|---------------------------|
| Strap Range: 3/8 - 3/4" |
| Strap Gauges: .018 - .023 |
| Flat loads |
| Unlimited take-up |

EP-1410

Economy Feedwheel Tensioner

| |
|---------------------------|
| Strap Range: 3/8 - 3/4" |
| Strap Gauges: .018 - .023 |
| Flat loads |
| Unlimited take-up |

EP-1425

SD Feedwheel Tensioner

| |
|---------------------------|
| Strap Range: 3/8 - 3/4" |
| Strap Gauges: .018 - .025 |
| Flat loads |
| Unlimited take-up |



EP-1450

HD Feedwheel Tensioner

| |
|---------------------------|
| Strap Range: 3/4 - 1 1/4" |
| Strap Gauges: .025 - .044 |
| Flat loads |
| Unlimited take-up |



EP-1500

Economy Windlass Tensioner

| |
|---------------------------|
| Strap Range: 3/4 - 1 1/4" |
| Strap Gauges: .023 - .031 |
| Flat loads |
| Limited take-up |



EP-1525

Premium Windlass Tensioner

| |
|---------------------------|
| Strap Range: 3/4 - 1 1/4" |
| Strap Gauges: .028 - .044 |
| Flat loads |
| Limited take-up |



EP-1550

Premium Windlass Tensioner with Cutter

| |
|---------------------------|
| Strap Range: 3/4 - 1 1/4" |
| Strap Gauges: .028 - .044 |
| Flat loads |
| Limited take-up |



EP-1610

HD Compact Pusher Tensioner

| |
|---------------------------|
| Strap Range: 3/8 - 3/4" |
| Strap Gauges: .020 - .031 |
| Round or irregular loads |
| Unlimited take-up |



EP-1620

HD Feedwheel Pusher Tensioner

| |
|---------------------------|
| Strap Range: 5/8 - 1 1/4" |
| Strap Gauges: .023 - .044 |
| Round or irregular loads |
| Unlimited take-up |



EP-1625

Light Duty Pusher Tensioner

| |
|---------------------------|
| Strap Range: 3/8 - 3/4" |
| Strap Gauges: .015 - .023 |
| Round or irregular loads |
| Limited take-up |



EP-1650

HD Pusher Rack Tensioner

| |
|---------------------------|
| Strap Range: 5/8 - 1 1/4" |
| Strap Gauges: .023 - .044 |
| Round or irregular loads |
| Limited take-up |



EP-1680

Pneumatic Pusher Tensioner

| |
|---------------------------|
| Strap Range: 3/4 - 1 1/4" |
| Strap Gauges: .031-.047 |
| Air Pressure: 70 - 90 lbs |
| Tension Speed: 3.35"/sec |
| Tension Force: 1,910 lbs |

STEEL SEALERS & CUTTERS



EP-1800 
SD Double-Notch Front Action Sealer

| |
|---|
| Size Options: 3/8", 1/2", 5/8", 3/4" |
| Strap Gauges: .015-.025 |
| Use open seals |
| Double-notch, down cut |



EP-1810
Economy Front Action Sealer

| |
|--------------------------------|
| Size Options: 1/2", 5/8", 3/4" |
| Strap Gauges: .015-.023 |
| Use open seals |
| Double-notch, down cut |



EP-1820 
SD Single-Notch Front Action Sealer

| |
|---|
| Size Options: 3/8", 1/2", 5/8", 3/4" |
| Strap Gauges: .015-.025 |
| Use closed seals |
| Single-notch, up cut |



EP-1850 
HD Front Action Sealer

| |
|--------------------------------|
| Size Options: 1/2", 5/8", 3/4" |
| Strap Gauges: .023-.031 |
| Use open seals |
| Double-notch, down cut |



EP-1870 
HD Double-Notch Side Action Sealer

| |
|------------------------------------|
| Size Options: 3/4" |
| Strap Gauges: .023-.031 |
| Use open or closed seals |
| Double-notch, down cut |
| (24" handles available by request) |



EP-1880 
HD Single-Notch Side Action Sealer

| |
|--------------------------------|
| Size Options: 3/4", 1", 1 1/4" |
| Strap Gauges: .025-.044 |
| Use closed seals |
| Single-notch, down cut |



EP-1900 
HD Double-Notch Side Action Sealer

| |
|--------------------------------|
| Size Options: 3/4", 1", 1 1/4" |
| Strap Gauges: .025-.044 |
| Use HD open or closed seals |
| Double-notch, up cut |



EP-1980
Pneumatic Sealer

| |
|----------------------------|
| Size Options: 3/4", 1 1/4" |
| Strap Gauges: .031-.047 |
| Air Pressure: 70 - 90 PSI |
| Use closed seals |
| Single-notch |



EP-2000
HD Sealless Tool

| |
|--------------------------------|
| Size Options: 1/2", 5/8", 3/4" |
| Strap Gauges: .018-.025 HT |
| Tensions, seals, & cuts |



EP-2010
SD Sealless Tool

| |
|--------------------------------|
| Size Options: 1/2", 5/8", 3/4" |
| Strap Gauges: .015-.023 RD |
| Tensions, seals, & cuts |



EP-2400
Economy Strap Shears

| |
|--------------------------|
| Strap Range: 3/8-3/4" |
| Strap Gauges: up to .028 |
| Single-hand operated |



EP-2450
Premium Strap Shears

| |
|--------------------------|
| Strap Range: 3/8-1 1/4" |
| Strap Gauges: up to .031 |
| Single-hand operated |



EP-2475 
Medium Range Strap Shears

| |
|--------------------------|
| Strap Range: 3/4-1 1/4" |
| Strap Gauges: up to .044 |
| Two-hand operated |



EP-2500 
HD Strap Shears

| |
|--------------------------|
| Strap Range: 3/4-2" |
| Strap Gauges: up to .050 |
| Two-hand operated |

STAINLESS STEEL TOOLS



RSA-550

Stainless Steel Tensioner

| | |
|---------------------------|-----------------|
| Stainless Steel strapping | Use tooth seals |
| Strap Range: 3/8" - 3/4" | Built-In Cutter |
| Strap Gauge: .015 - .030 | Round loads |



RSA-560

Wing Seal Windlass Pusher Tensioner




| | |
|---------------------------|-----------------|
| Stainless Steel strapping | Use wing seals |
| Strap Range: 3/8" - 3/4" | Built-In Cutter |
| Strap Gauge: .015 - .031 | Round loads |



RSA-570

Compact Wing Seal Pusher Tensioner

| | |
|---------------------------|-----------------|
| Stainless Steel strapping | Use wing seals |
| Strap Range: 3/8" - 3/4" | Built-In Cutter |
| Strap Gauge: up to .025 | Round loads |



RSA-580

Ball-Lock Tensioner

| | |
|---------------------------|--------------------------|
| Stainless Steel strapping | Use ball lock cable ties |
| Strap Range: up to 3/8" | Built-In Cutter |
| Strap Gauge: up to .015 | Round loads |



RSA-590

Stainless Steel Bander



| | |
|---------------------------|-------------------------|
| Strap Range: 1/4" | Round Loads |
| Strap Gauge: .016 | Tensions, seals, & cuts |
| Use stainless steel strap | 8 tension settings |



RSA-595


Pusher Bar Tensioner



| | |
|---------------------------|--------------------------|
| Stainless Steel strapping | Use wing or pusher seals |
| Strap Range: 3/8" - 5/8" | Single-hand operated |
| Strap Gauge: .015 - .023 | Round loads |

WING SEALS & BUCKLES

| PART # | (INCH) | DESCRIPTION | WEIGHT (LBS) | QTY |
|--------------|--------|-------------|--------------|-----|
| S12WS02-100 | 1/2 | Wing Seals | 2.20 | 100 |
| S58WS02-100 | 5/8 | Wing Seals | 2.20 | 100 |
| S34WS02-100 | 3/4 | Wing Seals | 2.20 | 100 |
| SS12WB02-100 | 1/2 | Buckles | 2.20 | 100 |
| SS58WB02-100 | 5/8 | Buckles | 2.20 | 100 |
| SS34WB02-100 | 3/4 | Buckles | 3.30 | 100 |




Wing Seals

Stainless Steel Buckles

MINI STRAPPING COILS

| PART # | TYPE | SIZE (INCHES) | LENGTH (FEET) | CORE ID |
|--------------|-----------------|---------------|---------------|----------|
| SSC12020-100 | Stainless Steel | 1/2 x .020 | 100 | Coreless |
| SSC58020-100 | Stainless Steel | 5/8 x .020 | 100 | Coreless |
| SSC34020-100 | Stainless Steel | 3/4 x .020 | 100 | Coreless |



Stainless Steel Coils

POLY & CORD TENSIONERS



EP-1100
SD Windlass Tensioner

| |
|-------------------------|
| Polypropylene strapping |
| Strap Range: 1/2 - 3/4" |
| Flat loads |



EP-1120
SD Poly Tensioner

| |
|-------------------------------------|
| Polyester & Polypropylene strapping |
| Strap Range: 1/2 - 3/4" |
| Flat loads |



EP-1150
Premium Windlass Tensioner

| |
|-------------------------------------|
| Polyester & Polypropylene strapping |
| Strap Range: 1/2 - 3/4" |
| Flat loads |



EP-1160
Premium Windlass Cord Tensioner

| |
|-------------------------|
| Cord strapping |
| Strap Range: 1/2 - 3/4" |
| Use wire buckles |
| Flat loads |



EP-1175
Premium Windlass Cord Pusher Tensioner

| |
|--------------------------|
| Cord strapping |
| Strap Range: 1/2 - 3/4" |
| Use wire buckles |
| Round or irregular loads |



EP-1185
Premium Poly Pusher Tensioner

| |
|-------------------------------------|
| Polyester & Polypropylene strapping |
| Strap Range: 1/2 - 3/4" |
| Use serrated pusher seals |
| Round or irregular loads |



EP-1188
Economy Large Cord Tensioner

| |
|---------------------------|
| Cord strapping |
| Strap Range: 5/8 - 1 1/2" |
| Use wire buckles |
| Flat loads |



EP-1190
HD Jumbo Cord Tensioner

| |
|---------------------------|
| Cord strapping |
| Strap Range: 5/8 - 1 1/2" |
| Use wire buckles |
| Flat loads |



EP-1195
HD Jumbo Poly Tensioner

| |
|--|
| Polyester, Polypropylene & Composite strapping |
| Strap Range: 5/8 - 1 1/2" |
| Flat loads |



EP-1198
Pneumatic Tensioner for Cord

| |
|----------------------------------|
| Cord, Composite, Woven strapping |
| Strap Range: 1 - 1 1/2" |
| Strap Gauges: .031 - .062 |
| Air Pressure: 87 - 116 PSI |
| Tension Speed: 2.75 - 3.14"/s |
| Tension Force: 1011 - 1461 lbs |



EP-1140
Cord Strap Bar

| |
|--------------------------------|
| Manual pull for Cord strapping |
| 3/4" solid steel round stock |
| Use wire buckles |



EP-1330
T-Puller for Polypropylene/Stretch Film


| |
|-------------------------------------|
| Zinc alloy steel |
| Use film or polypropylene strapping |
| Steel blade for cutting |



EP-1340
Poly Buckle Tensioner

| |
|-------------------------|
| Polypropylene strapping |
| Strap Range: 1/2 - 3/4" |
| Use wire buckles |

POLY SEALERS



EP-1200

Economy Front Action Sealer

| |
|--------------------------------|
| Polypropylene strapping |
| Size Options: 1/2", 5/8", 3/4" |
| Use snap-on open seals |



EP-1225

Premium Front Action Sealer

| |
|--------------------------------|
| Polypropylene strapping |
| Size Options: 1/2", 5/8", 3/4" |
| Use snap-on open seals |



EP-1235

Bidirectional Front Action Sealer



| |
|---|
| Polyester strapping |
| Size Options: 1/2", 5/8", 3/4" |
| Use serrated seals |
| 17" handles on 1/2" & 5/8" 25" handles on 3/4" |



EP-1237

HD Bidirectional Front Action Sealer

| |
|---|
| Polyester strapping |
| Size Options: 1/2", 5/8", 3/4" |
| Use serrated seals |
| 17" handles on 1/2" & 5/8" 25" handles on 3/4" |



EP-1245

Symmetrical Sealer

| |
|-----------------------------|
| Polyester strapping |
| Size Options: 5/8", 3/4" |
| Use symmetrical seals |
| Front action, bidirectional |
| 17" handles |



EP-1250

Unidirectional Premium Front Action Sealer



| |
|---|
| Polyester strapping |
| Size Options: 1/2", 5/8", 3/4" |
| Use serrated seals |
| 17" handles on 1/2" & 5/8" 25" handles on 3/4" |
| Blue: long jaw Orange: short jaw |



EP-1255

Economy Polyester Sealer

| |
|---------------------|
| Polyester strapping |
| Size Options: 5/8" |
| Use serrated seals |
| 17" handles |



EP-1275

HD Premium Front Action Micro-Grit Sealer

| |
|-------------------------------------|
| Polyester & Polypropylene strapping |
| Size Options: 1/2", 5/8" |
| Use micro-grit seals |



EP-1285

Serrated Pusher Sealer

| |
|-------------------------------------|
| Polyester & Polypropylene strapping |
| Size Options: 1/2", 5/8", 3/4" |
| Use serrated pusher seals |



EP-1295

HD Side Action Micro-Grit Sealer

| |
|--------------------------|
| Polyester strapping |
| Size Options: 5/8", 3/4" |
| Use micro-grit seals |



BATTERY STRAPPING TOOLS



EP-1320

Flat Lacing Rod

- 56" overall length
- Easy clip technology
- Helps feed strap under pallets



E1260-28-D

18v Li-Ion Battery

- 18 Volts, 4/5 AMP
- Charge indicator light
- Compatible with all Encore units



E1260-28-HD

HD 18v Li-Ion Battery

- 18 Volts, 4/5 AMP
- Charge indicator light
- Compatible with most Encore units, except the EP-1345 and EP-1355.



E1260-58

Battery Charger

- Charges both Encore batteries
- Regional electrical plugs available by request



EP-1260

Friction Welder - Polypropylene

- Polypropylene strapping
- Strap Range: 1/2-3/4"
- Flat loads
- 5 time settings
- *Battery & charger sold separately



EP-1265

Friction Welder - Polyester

- Polyester strapping
- Strap Range: 1/2-3/4"
- Flat loads
- 5 time settings
- *Battery & charger sold separately



EP-1270

Friction Welder - Polyester or Polypropylene

- Polyester or Polypropylene strapping
- Strap Range: 1/2-1 1/4"
- Flat loads
- 5 time settings
- *Battery & charger sold separately



EP-1345

Battery Powered Cord Strap Tensioner with Cutter

- | | |
|-----------------------------------|--------------------------------------|
| Composite & Woven Cord strapping | 3 pre-programmed tension modes |
| Strap Range: up to 1 1/4" | Tensions with 6 tension force levels |
| Strap Thickness: .033" - .065" | Includes removable cutter housing |
| Tension Range: 661 - 1763 lbs | Touch screen |
| Includes: 1 charger & 2 batteries | Flat loads |



EP-1355

HD Battery Tool

- | | |
|-------------------------------------|-------------------------------------|
| Polyester Strapping | Polypropylene Strapping |
| Strap Width: 1/2 - 5/8" | Strap Width: 5/8 - 3/4" |
| Strap Thickness: up to 0.65 - 1.27" | Strap Thickness: up to 0.04 - 1.27" |
| Break Strength: up to 425 lbs | Break Strength: up to 925 lbs |
| Tension Range: 55 - 551 lbs | Tension Range: 88 - 881 lbs |
| Includes: 1 charger & 2 batteries | |

SEALS & BUCKLES

STEEL SEALS

| PART # | (INCH) | DESCRIPTION | WEIGHT (LBS) | QTY |
|---------|--------|-----------------|--------------|------|
| S38SO2 | 3/8" | Snap-on/Open | 12.5 | 2500 |
| S12SO2 | 1/2" | Snap-on/Open | 15 | 2500 |
| S58SO2 | 5/8" | Snap-on/Open | 17.5 | 2500 |
| S34SO2 | 3/4" | Snap-on/Open | 20 | 2500 |
| S34SO3 | 3/4" | HD Snap-on/Open | 26 | 1000 |
| S114SO3 | 1 1/4" | HD Snap-on/Open | 53 | 1000 |

| PART # | (INCH) | DESCRIPTION | WEIGHT (LBS) | QTY |
|---------|--------|------------------|--------------|------|
| S38PO2 | 3/8" | Push-on/Close | 17.5 | 2500 |
| S12PO2 | 1/2" | Push-on/Close | 20 | 2500 |
| S58PO2 | 5/8" | Push-on/Close | 25 | 2500 |
| S34PO2 | 3/4" | Push-on/Close | 35 | 2500 |
| S34PO3 | 3/4" | HD Push-on/Close | 38 | 1000 |
| S114PO3 | 1 1/4" | HD Push-on/Close | 71 | 1000 |

POLY SEALS

| PART # | (INCH) | DESCRIPTION | WEIGHT (LBS) | QTY |
|--------|--------|-------------------|--------------|------|
| P12SO1 | 1/2" | Snap-on, Economy | 11 | 1000 |
| P12SO2 | 1/2" | Snap-on | 12 | 1000 |
| P58SO2 | 5/8" | Snap-on | 15 | 1000 |
| P34SO2 | 3/4" | Snap-on | 18 | 1000 |
| P12SS3 | 1/2" | Snap-on, serrated | 13 | 1000 |
| P58SS3 | 5/8" | Snap-on, serrated | 20 | 1000 |
| P34SS3 | 3/4" | Snap-on, serrated | 22 | 1000 |
| P12PO3 | 1/2" | Push-on, serrated | 9 | 1000 |

| PART # | (INCH) | DESCRIPTION | WEIGHT (LBS) | QTY |
|--------|--------|----------------------|--------------|------|
| P58PO3 | 5/8" | Push-on, serrated | 13 | 1000 |
| P34PO3 | 3/4" | Push-on, serrated | 15 | 1000 |
| P12PS3 | 1/2" | HD Micro-Grit | 22 | 1000 |
| P58PS4 | 5/8" | HD Micro-Grit | 28 | 1000 |
| P34PS4 | 3/4" | HD Micro-Grit | 31 | 1000 |
| P58SY4 | 5/8" | Symmetrical | 46 | 1000 |
| P34SY4 | 3/4" | Symmetrical | 51 | 1000 |
| P34SY6 | 3/4" | HD Double Seal Clips | 47 | 500 |

BUCKLES

| PART # | (INCH) | DESCRIPTION | GAUGE | WEIGHT (LBS) | QTY |
|------------|--------|--------------------------------|-------|--------------|------|
| P12WB1-GA | 1/2" | Galvanized/Clear Wire, Economy | .105" | 12 | 1000 |
| P12WB2-GA | 1/2" | Galvanized/Clear Wire | .096" | 15 | 1000 |
| P12WB3-GA | 1/2" | HD Galvanized/Clear Wire | .120" | 18.9 | 1000 |
| P58WB3-GA | 5/8" | HD Galvanized/Clear Wire | .120" | 26 | 1000 |
| P34WB3-GA | 3/4" | HD Galvanized/Clear Wire | .160" | 43.5 | 1000 |
| P100WB3-GA | 1" | HD Galvanized/Clear Wire | .197" | 41 | 500 |
| P114WB3-GA | 1 1/4" | HD Galvanized/Clear Wire | .276" | 55 | 250 |
| P12PB2 | 1/2" | Plastic | STD | 4.5 | 1000 |
| P12WB2-PH | 1/2" | Phosphate Wire | .108" | 11.4 | 1000 |
| P12WB3-PH | 1/2" | HD Phosphate Wire | .118" | 26 | 1000 |
| P58WB3-PH | 5/8" | HD Phosphate Wire | .138" | 26 | 1000 |
| P34WB3-PH | 3/4" | HD Phosphate Wire | .157" | 43.5 | 1000 |
| P100WB3-PH | 1" | HD Phosphate Wire | .197" | 55 | 500 |
| P114WB3-PH | 1 1/4" | HD Phosphate Wire | .276" | 50 | 250 |



S12SO2



P12SO2



S34SO3



P12SS3



S114PO3



P58PS4



P12WB1-GA



P34SY4



P58WB3-GA



P12WB2-PH



P114WB3-GA



P114WB3-PH




P100WB3-GA



P34WB3-PH

STEEL & POLY DISPENSERS



EP-3003

Core Corrector



- Reset 16" damaged core
- Easy release and load system
- Solid steel construction
- Lightweight, portable unit



EP-3005

Strap Caddy



- Use Steel strapping mini coils
- Lightweight portable unit
- Tools & coil sold separately



EP-3006

Strap Caddy Standard



- Use Steel strapping mini coils
- Long handles for less strain
- Large storage bins



EP-3007

Strap Caddy Premium



- Use Steel strapping mini coils
- Heavy duty convenient unit
- Lockable coil container



EP-3050 (oscillated)

Horizontal Wall/Forklift Mountable Strapping Dispenser



- Oscillated wound
- Core ID: 16"
- Face Width: 3-6" (8" available by request)



EP-3055 (ribbon)

Horizontal Wall/Forklift Mountable Strapping Dispenser



- Ribbon wound
- Strap Range: 3/4-1 1/4"
- Core ID: 16"



EP-3065-PS

HD Cobra Strapping Dispenser for Poly



- For Poly Strapping
- Oscillated wound
- Strap Range: 3/4-1 1/4"



EP-3065-SS

HD Cobra Strapping Dispenser for Steel



- For Steel Strapping
- Ribbon wound
- Strap Range: 3/4-1 1/4"



EP-3075

Floor Mount with Cutter



- Ribbon or oscillated wound
- Holds: two steel ribbon coils or one oscillated roll (steel or poly)
- Foot-activated cutter blade
- (Forklift support part available & sold separately)




EP-3078

Forklift Mount with Cutter



- Ribbon or oscillated wound
- Holds: two steel ribbon coils or one oscillated roll (steel or poly)
- Manual push cutter
- Includes handy, magnetic toolbox attachment



EP-3042

Multi-Coil Strapping Dispenser



- Ribbon wound
- Can hold multiple coils (up to 3 at once)
- Core ID: 16"
- 10" rubber tires



EP-3080



EP-3018



EP-3100



EP-3200



EP-3200-HD



Standard Strapping Dispenser

Conduit Cart

Premium Strapping Dispenser

Premium Strapping Dispenser with Strap Troller

HD Premium Strapping Dispenser

| |
|--|
| Oscillated wound |
| For Poly strapping |
| Strap Width: up to 3/4" |
| Core ID: 16" (8" available by request) |
| Face Width: 3-8" |
| Quick load system |
| 10" rubber tires |

| |
|-------------------------|
| Oscillated wound |
| For Poly strapping |
| Strap Width: up to 3/4" |
| Core ID: 16" |
| Face Width: 3-8" |
| Ships as flat pack |
| 10" rubber tires |

| |
|-----------------------------|
| Oscillated wound |
| For Steel or Poly strapping |
| Strap Width: up to 3/4" |
| Core ID: 16" |
| Face Width: 3-6" |
| 10" rubber tires |

| |
|---|
| Oscillated wound |
| Order for Steel or Poly strapping |
| Strap Width: up to 1" |
| Core ID: 16" |
| Face Width: 3-6" |
| 10" rubber tires (Pneumatic tires available by request) |

| |
|---|
| Oscillated wound |
| Order for Steel or Poly strapping |
| Strap Width: up to 1" |
| Core ID: 16" (back supports 28" disk) |
| 10" rubber tires (Pneumatic tires available by request) |



EP-3340



EP-3350



EP-3400 SS/PS



EP-3450



Ribbon-Wound Strapping Dispenser

HD Ribbon-Wound Strapping Dispenser

Monster Cart

Automatic Strap Cutter

BATTERY TOOL

| |
|---|
| Ribbon wound |
| Order for Steel or Poly strapping |
| Strap Range: up to 1 1/4" |
| Core ID: 16" |
| Quick load system |
| 10" rubber tires (Pneumatic tires available by request) |

| |
|---|
| Ribbon wound |
| Order for Steel or Poly strapping |
| Strap Range: up to 2" |
| Core ID: 16" |
| 10" rubber tires (Pneumatic tires available by request) |

| |
|-----------------------------------|
| Ribbon wound |
| Order for Steel or Poly strapping |
| Strap Range: up to 2" |
| 16" pneumatic tires |
| Two storage trays |

| |
|-----------------------------------|
| For Steel and Poly |
| Oscillated & Ribbon Wound |
| Strap Width: up to 1 1/4" |
| Strap Gauge: up to .044" |
| Core ID: 16" |
| Fastest Speed: 39 in/s (1m/s) |
| Includes: 1 charger & 2 batteries |

MOBILE STRAPPING TRUCKS

EP-3000

Tool Balancer

- EP-3000-TB-2 (4-7 lbs / 2-3 kg)
- EP-3000-TB-3 (7-11 lbs / 3-5 kg)
- EP-3000-TB-4 (11-15 lbs / 5-7 kg)
- EP-3000-TB-5 (15-20 lbs / 7-9 kg)
- EP-3000-TB-6 (33-49 lbs / 15-22 kg)

| |
|---------------------------------|
| Tool spring |
| External tension adjustment |
| Knob dispenses easily & rapidly |
| (Hanger sold separately) |



EP-3500 (oscillated) EP-3505 (ribbon)

Mobile Strapping Truck
(standard version)



| |
|-----------------------------------|
| Steel & Poly Strapping |
| Core ID: 16" |
| HD steel frame |
| Locking swivel casters |
| (Two floor trays sold separately) |



EP-3520 (oscillated) EP-3525 (ribbon)

Strap Truck - Belly Bander
(horizontal version)



| |
|---|
| Steel & Poly Strapping |
| Core ID: 16" |
| HD steel frame |
| Height adjustable (handle & tray) |
| Locking swivel casters |
| (Tool balancer, mast, & hanger sold separately) |




EP-3550 (oscillated) EP-3555 (ribbon)

Tool Balancer Cart
(standard version with tool mast)



| |
|--|
| Steel & Poly Strapping |
| Core ID: 16" |
| HD steel frame |
| Locking swivel casters |
| (Tool balancer & hanger sold separately) |



EP-3560

BATTERY TOOL

Lifter Device

(standard version with tool mast)

| | |
|--|------------------------|
| Oscillated & Ribbon Wound | Steel & Poly Strapping |
| Can hold 2 ribbon rolls or 1 oscillated roll at one time | |
| Core ID: 16" | HD steel frame |
| Locking swivel casters | Large tool tray |
| Battery operated lifter device | |
| Includes: 1 charger & 2 batteries | |




EP-3565

BATTERY TOOL

Coil Lifter

(standard version with tool mast)

| | |
|-----------------------------------|----------------|
| Made for transporting coils! | |
| Coil Width: up to 3" | HD steel frame |
| Locking swivel casters | Robust base |
| Battery operated lifter device | |
| Includes: 1 charger & 2 batteries | |



EP-3570 (oscillated) EP-3575 (ribbon)

Belly Bander

(horizontal version with tool mast)



| |
|--|
| Steel & Poly Strapping |
| Core ID: 16" |
| HD steel frame |
| Locking swivel casters |
| (Tool balancer & hanger sold separately) |



CORD DISPENSERS

SPECIFY CORE ID WHEN ORDERING



EP-3008

Cord Cradle

Disk Insert Options for Core ID:
1", 3", 6", 8"

Disk Size: 18"

Quick load system

Tray optional



EP-3015

Lightweight Poly/Cord Strapping Dispenser

Polypropylene & Cord strapping

Disk Insert Options for Core ID:
1 1/2", 3", 6", 8", 16"

Disk Size: 25"

6" rubber tires



EP-3020

Stationary Cord Strapping Dispenser

Face Width: up to 8"

Table, floor, & wall mountable



EP-3025

Mobile Floor Cord Strapping Dispenser

Face Width: up to 8"

Table, floor, & wall mountable



EP-3025-NZ

Mobile Floor Cord Strapping Dispenser (NZ Version)

Disk Insert Options for Core ID: 1 1/2", 3", 6", 8"

Disk Size: 18"

Face Width: up to 8"

Table, floor, & wall mountable
(Includes spin nut & flanges)



EP-3030 (ribbon)

Cord Wall Mount Unit

Disk Insert Options for Core ID: 1 1/2", 3", 6", 8"

Disk Size: 25"

Quick load system

(Tray attachment kit sold separately)



EP-3032

Cord Forklift Mount Dispenser

Disk Insert Options for Core ID: 1 1/2", 3", 6", 8"

Disk Size: 18"

Quick load system



EP-3035 (oscillated)

Cord Wall Mount Unit

Disk Insert Options for Core ID: 1 1/2", 3", 6", 8"

Disk Size: 18"

(Tray attachment kit sold separately)



EP-3040 (ribbon)

Cord Strapping Dispenser

Disk Insert Options for Core ID: 1 1/2", 3", 6", 8", 16"
(1" available by request)

Disk Size: 25"

10" tires



EP-3045 (oscillated)

Cord Strapping Dispenser

Disk Insert Options for Core ID: 1 1/2", 3", 6", 8"
(1" available by request)

Disk Size: 18"

10" tires



STRAPPING KITS

STEEL KITS

| PART # | TYPE | CONTENTS |
|---------|------------------------------|---|
| S12K01 | 1/2" Strapping, Open Seals | EP-3100, EP-1810-12, EP-1410, EP-2400, S12S02 (1 case) |
| S34K01 | 3/4" Strapping, Open Seals | EP-3100, EP-1810-34, EP-1410, EP-2400, S34S02 (1 case) |
| S12K02 | 1/2" Strapping, Open Seals | EP-3100, EP-1800-12, EP-1425, EP-2450, S12S02 (1 case) |
| S58K02 | 5/8" Strapping, Open Seals | EP-3100, EP-1800-58, EP-1425, EP-2450, S58S02 (1 case) |
| S34K02 | 3/4" Strapping, Open Seals | EP-3100, EP-1800-34, EP-1425, EP-2450, S34S02 (1 case) |
| S12KP2 | 1/2" Strapping, Closed Seals | EP-3100, EP-1820-12, EP-1610, EP-2450, S12P02 (1 case) |
| S58KP2 | 5/8" Strapping, Closed Seals | EP-3100, EP-1820-58, EP-1610, EP-2450, S58P02 (1 case) |
| S34KP2 | 3/4" Strapping, Closed Seals | EP-3100, EP-1820-34, EP-1610, EP-2450, S34P02 (1 case) |
| SS12KOA | 1/2" Strapping, Contractor | EP-3006, SMC12020-300, EP-1410, EP-1810-12, and S12S02 (250 pack) |
| SS34KOA | 3/4" Strapping, Contractor | EP-3006, SMC34020-300, EP-1410, EP-1810-34, and S34S02 (250 pack) |

POLYESTER KITS

| PART # | TYPE | CONTENTS |
|---------|-------------------------|---|
| PT12K02 | 1/2" Strapping, Economy | EP-3100, EP-1250-12, EP-1120, P12SS3 (1 case) |
| PT58K02 | 5/8" Strapping, Economy | EP-3100, EP-1255-58, EP-1120, P58SS3 (1 case) |
| PT34K02 | 3/4" Strapping, Economy | EP-3100, EP-1250-34, EP-1120, P34SS3 (1 case) |
| PT12K03 | 1/2" Strapping, HD | EP-3100, EP-1250-12, EP-1150, P12SS3 (1 case) |
| PT58K03 | 5/8" Strapping, HD | EP-3100, EP-1250-58, EP-1150, P58SS3 (1 case) |
| PT34K03 | 3/4" Strapping, HD | EP-3100, EP-1250-34, EP-1150, P34SS3 (1 case) |

POLYPROPYLENE KITS

| PART # | TYPE | CONTENTS |
|-------------|---|---|
| PP12K02 | 1/2" Strapping, Economy | EP-3080, EP-1200-12, EP-1100, P12S02 (1 case) |
| PP58K02 | 5/8" Strapping, Economy | EP-3080, EP-1200-58, EP-1100, P58S02 (1 case) |
| PP34K02 | 3/4" Strapping, Economy | EP-3080, EP-1200-34, EP-1100, P34S02 (1 case) |
| PP12K03 | 1/2" Strapping, HD | EP-3080, EP-1225-12, EP-1150, P12S02 (1 case) |
| PP58K03 | 5/8" Strapping, HD | EP-3080, EP-1225-58, EP-1150, P58S02 (1 case) |
| PP34K03 | 3/4" Strapping, HD | EP-3080, EP-1225-34, EP-1150, P34S02 (1 case) |
| PP12CB01-PB | 1/2" Strapping, Contractor, Plastic Buckles | EP-1330, MPPC12023-3000, P12PB2 (250 count), corrugated box |
| PP12CB01-WB | 1/2" Strapping, Contractor, Wire Buckles | EP-1330, MPPC12023-3000, P12WB2-GA (250 count), corrugated box |
| PP12CB02 | 1/2" Strapping, Contractor Economy | EP-1100, MPPC12023-3000, P12WB2-GA (250 count), corrugated box |
| PP12CB03 | 1/2" Strapping, Contractor HD | EP-3080, EP-1100, EP-1200-12, MPPC12023-3000, P12S02 (1 case), corrugated box |



WOVEN POLYESTER KITS

SPECIFY DISK INSERT OPTION FOR CORE ID WHEN ORDERING

| PART # | TYPE | CONTENTS |
|---------|-------------------------|---|
| CS12K02 | 1/2" Strapping, Economy | EP-3008 (Disk Insert Options for Core ID: 1", 3", 6" or 8"), EP-1140, P12WB2-PH (1 case) |
| CS58K02 | 5/8" Strapping, Economy | EP-3008 (Disk Insert Options for Core ID: 1", 3", 6" or 8"), EP-1140, P58WB3-PH (1 case) |
| CS34K02 | 3/4" Strapping, Economy | EP-3008 (Disk Insert Options for Core ID: 1", 3", 6" or 8"), EP-1140, P34WB3-PH (1 case) |
| CS12K03 | 1/2" Strapping, HD | EP-3045 (Disk Insert Options for Core ID: 1", 1 1/2", 3", 6", or 8"), EP-1160, P12WB3-PH (1 case) |
| CS58K03 | 5/8" Strapping, HD | EP-3045 (Disk Insert Options for Core ID: 1", 1 1/2", 3", 6", or 8"), EP-1160, P58WB3-PH (1 case) |
| CS34K03 | 3/4" Strapping, HD | EP-3045 (Disk Insert Options for Core ID: 1", 1 1/2", 3", 6", or 8"), EP-1160, P34WB3-PH (1 case) |

MINI COILS & PRECUTS

STEEL STRAPPING COILS

| PART # | TYPE | SIZE (INCH) | LENGTH (FT) | BOX |
|-----------------|--------------|----------------|----------------|------------|
| SMC12020-200 | Regular Duty | 1/2 x .020 | 200 | Corrugated |
| SMC58020-200 | Regular Duty | 5/8 x .020 | 200 | Corrugated |
| SMC34020-200 | Regular Duty | 3/4 x .020 | 200 | Corrugated |
| SMC12020-300 | Regular Duty | 1/2 x .020 | 300 | Corrugated |
| SMC58020-300 | Regular Duty | 5/8 x .020 | 300 | Corrugated |
| SMC34020-300 | Regular Duty | 3/4 x .020 | 300 | Corrugated |
| SMC34025-300 | Regular Duty | 3/4 x .025 | 300 | Corrugated |
| SMC12020-300-PU | Punched | 1/2 x .020 | 300 | Corrugated |
| SMC34020-300-PU | Punched | 3/4 x .020 | 300 | Corrugated |

POLYESTER STRAPPING COILS

| PART # | SURFACE | SIZE (INCH) | LENGTH (FT) | CORE ID (INCH) | COLOR | BREAK APPROX. (LBS) |
|----------------|---------|----------------|----------------|-------------------|-------|------------------------|
| MPET12023-1600 | Smooth | 1/2 x .023 | 1600 | 8 | Green | 700 |
| MPET58035-1200 | Smooth | 5/8 x .035 | 1200 | 8 | Green | 1400 |

POLYPROPYLENE STRAPPING COILS

| PART # | GRADE | SIZE (INCH) | LENGTH (FT) | CORE ID (INCH) | COLOR | BREAK APPROX. (LBS) |
|----------------|-------|----------------|----------------|-------------------|-------|------------------------|
| MPPC12023-3000 | Hand | 1/2 x .023 | 3000 | 8 | Black | 500 |
| MPPC12023-7200 | Hand | 1/2 x .023 | 7200 | 8 | White | 500 |

WOVEN CORD STRAPPING COILS

| PART # | DUTY | SIZE (INCH) | LENGTH (FT) | CORE ID (INCH) | COLOR | BREAK APPROX. (LBS) |
|------------|--------------|----------------|----------------|-------------------|-------|------------------------|
| PC58WOV-2 | Regular Duty | 5/8 x .031 | 1640 | 3.5 | White | 770 |
| PC34WOV-2 | Regular Duty | 3/4 x .035 | 1640 | 3.5 | White | 1100 |
| PC34WOV-3 | Heavy Duty | 3/4 x .050 | 1640 | 8 | White | 2400 |
| PC114WOV-3 | Heavy Duty | 1 1/4 x .050 | 984 | 8 | White | 3300 |

PRE-CUTS



P12PC2

Polypropylene Precuts

| | |
|---------------------|---|
| Size: 1/2" x 17' | Strap Gauge: .020 - .023 |
| Case Quantity: 500 | 7 Color Options: Black, White, Red, Orange, Yellow, Green, and Blue |
| Case Weight: 32 lbs | |

EDGE PROTECTORS & CUTTER

EDGE PROTECTORS

| PART # | SIZE | FOR | PER CASE | COLOR |
|------------|-------------------|--------------------|----------|--------|
| EP-5615 | 1 1/8" x 7/8" | up to 5/8" strap | 1000 | Black |
| EP-5620 | 1 3/4 x 1" | up to 3/4" strap | 1000 | Black |
| EP-5620-HD | 1 7/8" x 1" | up to 3/4" strap | 1000 | White |
| EP-5630 | 2 1/8 x 1 1/2" | up to 1 1/2" strap | 4000 | Black |
| EP-5640 | 2 1/4 x 1 5/8" | up to 1 1/2" strap | 1000 | Black |
| EP-5640-HD | 2 1/2 x 1 3/4" | up to 1 1/2" strap | 1000 | Black |
| EP-5660 | 2 1/2 x 2" | up to 1 1/4" strap | 1000 | White |
| EP-5670 | 4" Jumbo | Lashing | 50 | Orange |
| EP-5675 | 4 x 4 x 12" | Lashing | 10 | Orange |
| EP-5680-10 | 8 x 8 x 10" Jumbo | Lashing | 50 | Orange |
| EP-5680-24 | 8 x 8 x 24" Jumbo | Lashing | 1 | Orange |
| EP-5680-36 | 8 x 8 x 36" Jumbo | Lashing | 1 | Orange |
| EP-5680-48 | 8 x 8 x 48" Jumbo | Lashing | 1 | Orange |
| EP-5690 | 8" Tarp Guard | Tarp | 10 | Orange |



CORNER BOARD CUTTER



EP-5825

Corner Board Cutter



| | |
|--|--------------------------|
| Corner Board Range: 2 x 2", 3 x 3", 4 x 4" | Solid steel construction |
| Thickness Range: 0.120 - 0.225" | Robust steel handle |
| Table mountable | |

RUBBER BANDS

STANDARD RUBBER BANDS

| PART # | DESCRIPTION | QTY |
|---------|---------------|-----------|
| | (CIRC X WIDE) | (PER LBS) |
| EP-4008 | 7/8 x 1/16" | 6000 |
| EP-4010 | 1 1/4 x 1/16" | 5000 |
| EP-4012 | 1 3/4 x 1/16" | 2300 |
| EP-4014 | 2 x 1/16" | 2300 |
| EP-4016 | 2 1/2 x 1/16" | 1670 |
| EP-4018 | 3 x 1/16" | 1480 |
| EP-4019 | 3 1/2 x 1/16" | 1220 |
| EP-4030 | 2 x 1/8" | 1150 |
| EP-4031 | 2 1/2 x 1/8" | 900 |
| EP-4032 | 3 x 1/8" | 740 |
| EP-4033 | 3 1/2 x 1/8" | 630 |

| PART # | DESCRIPTION | QTY |
|----------|-----------------------|-----------|
| | (CIRC X WIDE) | (PER LBS) |
| EP-4057 | 1 3/4 x 1/8" | 750 |
| EP-4062 | 2 1/2 x 1/4" | 375 |
| EP-4064 | 3 1/2 x 1/4" (postal) | 310 |
| EP-4082 | 2 1/2 x 1/2" | 230 |
| EP-4084 | 3 1/2 x 1/2" | 155 |
| EP-4094 | 3 1/2 x 3/4" | 100 |
| EP-4105 | 5 x 5/8" | 280 |
| EP-4107 | 7 x 5/8" | 40 |
| EP-4117B | 7 x 1/8" | 200 |
| EP-4128 | 8 x 1/8" | 160 |

LARGE RUBBER BANDS

| PART # | DESCRIPTION | QTY |
|---------|---------------|-----------|
| | (CIRC X WIDE) | (PER LBS) |
| EP-4212 | 12 x 1/4" | 55 |
| EP-4214 | 14 x 1/4" | 45 |
| EP-4217 | 17 x 1/4" | 35 |

PALLET BANDS

| PART # | DESCRIPTION | FOR | QTY | |
|---------|--------------------|--------------------|-----------|----------|
| | (CIRC X WIDE) | | (APPROX.) | (MASTER) |
| EP-5034 | 34 x 1" | Bundling | 12 | 144 |
| EP-5056 | 56 x 3/4" | 30 x 24" Pallet | 12 | 144 |
| EP-5072 | 72 x 3/4" | 36 x 36" Pallet | 12 | 144 |
| EP-5084 | 84 x 3/4" | 36-40 x 48" Pallet | 12 | 144 |
| EP-5092 | 92 x 3/4" | 48 x 48" Pallet | 12 | 144 |
| EP-5292 | 92 x 7/8" (ribbed) | 48 x 48" Pallet | 12 | 144 |
| EP-5472 | 72" x 1 1/2" | 36-40 x 48" Pallet | 10 | 100 |
| EP-5484 | 84 x 1 3/4" | 36-40 x 48" Pallet | 10 | 100 |
| EP-5492 | 92 x 1 1/2" HD | 36-40 x 48" Pallet | 10 | 100 |



EP-5084, Pallet Band



EP-5092, Pallet Band



EP-4008, Standard Rubber Band




EP-4062, Standard Rubber Band



EP-4214, Large Rubber Band

TAPE DISPENSERS



| SKU | DESCRIPTION | TAPE ROLL SIZE (INCHES) | PER CASE | FEATURES |
|-----------|--|----------------------------|----------|--|
| EP-600 | Filament Dispenser | 1 | 100 | Solid steel frame |
| EP-610 | Clam Shell Dispenser | 2 | 60 | Solid steel frame |
| EP-615 | Manual Kraft Paper Tape Dispenser | 3" x 375 yards | 4 | For kraft tape rolls, Quick pull & tear, table-top unit |
| EP-620 | Mousetrap Style Dispenser | 2 3 | 24 | Quick-snap load, blade guard, smooth rubber roller |
| EP-620-M | Mousetrap Style Tape Dispenser with Magnetic Attachment without Grip | 2 3 | 24 | Quick-snap load, blade guard, smooth rubber roller magnetic attachment without grip handle |
| EP-635 | Economy Pistol Grip Dispenser | 2 3 | 40 24 | Blade guard, flexible wiper plate, smooth rubber roller |
| EP-675 | Premium Pistol Grip Dispenser | 2 3 | 24 20 | Tension control knob, blade guard, flexible wiper plate, smooth rubber roller |
| EP-675-WM | Premium Pistol Grip Tape Dispenser with Magnetic Attachment | 2 3 | 24 20 | Tension control knob, blade guard, flexible wiper plate, smooth rubber roller, with side magnets |
| EP-680 | Deluxe Pistol Grip Dispenser | 2 3 | 24 20 | Self-retracting blade, soft-touch grip, flexible wiper plate, smooth rubber roller |
| EP-685 | HD Dispenser | 2 3 | 24 20 | Round of snug fit, flexible wiper plate, smooth rubber roller |
| EP-695 | Streamlined Dispenser | 2 3 | 24 12 | Blade guard, flexible wiper plate, smooth rubber roller |

REPLACEMENT TAPE BLADES & GUARDS



E635-2B
2" Double-Sided Blade

10 per pack
Compatible with:
EP-635-2



E675-2B
2" Serrated Blade

8 per pack
Compatible with:
EP-620-2, EP-675-2,
EP-680-2,
EP-685-2



E675-3B
3" Serrated Blade

10 per pack
Compatible with:
EP-620-3, EP-635-3,
EP-675-3,
EP-680-3,
EP-695-3



E685-2B
2" Serrated Blade

10 per pack
Compatible with:
EP-685-2



E685-3B
3" Serrated Blade

10 per pack
Compatible with:
EP-685-3



E675-3BG
3" Blade Guard

1 each
Compatible with:
EP-620-3, EP-635-3,
EP-675-3, EP-695-3

KNIVES



EP-100

Retractable Thin Snap-Off Knife

| |
|------------------------|
| Steel track |
| Built-in blade breaker |
| 60 per case |



EP-110

Retractable SD Snap-Off Knife

| |
|------------------------|
| Built-in blade breaker |
| Durable plastic handle |
| 60 per case |



EP-120

Retractable Translucent Knife

| |
|---|
| Lightweight |
| High visibility - transparent |
| 50 per case (Includes blue, pink, green, & orange) |



EP-140

Retractable HD Snap-Off Knife

| |
|--------------------------|
| Durable steel track |
| Built-in blade breaker |
| Ergonomic anti-slip grip |
| 24 per case |



EP-150

SD Thin Snap-Off Safety Knife

| |
|-------------------------------|
| Retractable & self-retracting |
| Durable steel track |
| Built-in blade breaker |
| 12 per case |



EP-160

HD Snap-Off Safety Knife

| |
|-------------------------------|
| Retractable & self-retracting |
| Durable steel track |
| Built-in blade breaker |
| 12 per case |



EP-180

Retractable Extra HD Snap-Off Knife

| |
|----------------------------|
| Built-in blade breaker |
| Ergonomic soft rubber grip |
| 24 per case |



EP-190

Retractable Knife with Scoring Wheel

| |
|-------------------------------------|
| HD metal body |
| Wheel scores & resizes boxes easily |
| 12 per case |



EP-200

Retractable Classic Design

| |
|---------------|
| HD metal body |
| 12 per case |



EP-210

Retractable Steel Knife with Rubber Casing

| |
|------------------------------|
| Cuts cartons, film, & string |
| Soft-touch grip |
| 12 per case |



EP-212

T-Style Economy Lightweight Cutter

| |
|------------------|
| Ergonomic handle |
| 10 per case |



EP-214

T-Style Cutter

| |
|---------------|
| Medium-duty |
| Robust design |
| 10 per case |



EP-215

T-Style Rotary Cutter

| |
|--|
| Protected circular blade |
| Ergonomic design |
| Magnet plug hole (magnet sold separately) |
| 12 per case |



EP-220

Specialty Cutter - Hook Knife

| |
|-----------------------------|
| Cuts cartons film, & string |
| 36 per case |



EP-222

Poly, Stretch Film, & Twine Cutter

| |
|---|
| Mountable cutter for stretch film applicators |
| 12 per case |



EP-225

Safety Carton Opener - Hook Knife

| |
|-----------------------------|
| Metal nose for tape cutting |
| Soft-touch grip |
| 12 per case |



EP-228

HD Hook Knife

| |
|-----------------------|
| HD metal body |
| Aluminum alloy handle |
| Soft-touch grip |
| 6 per case |



EP-230

HD Self-Retracting Safety Knife

| |
|--|
| HD metal body |
| Self-retracting blade after resistance |
| Soft-touch grip |
| 12 per case |



EP-235

Self-Retracting Knife with Holder

| |
|--|
| Self-retracting |
| Spare Blades: 3 inside handle (ceramic blades available by request) |
| 6 per case |



EP-240

Retracting Safety Knife

| |
|------------------------|
| Steel track |
| Built-in blade breaker |
| 12 per case |



EP-250

Top Actuated Retracting Knife

| |
|-------------------------------|
| Self-retracting |
| Spare Blades: 5 inside handle |
| Slide clamp blade change |
| 12 per case |



EP-255

Top Actuated Locking Knife

| |
|-------------------------------|
| HD metal body |
| Spare Blades: 5 inside handle |
| Soft-touch grip |
| 12 per case |



EP-260

Specialty Cutter - Slide Knife

| |
|---|
| Glides through bubble, foam, poly, & woven cord |
| Single button blade change |
| 12 per case |



EP-265

Slide Knife

| |
|---|
| Glides through bubble, foam, poly, & woven cord |
| Solid aluminum construction |
| 12 per case |



EP-270

Tap Knife

| |
|-----------------------------|
| Convenient tap open & close |
| Solid metal construction |
| 12 per case |



EP-285

Retractable Knife with Knuckle Handle

| |
|----------------------------------|
| Zinc body with protective handle |
| Spare Blades: 3 inside handle |
| Soft-touch grip |
| 6 per case |



EP-290

Folding Knife

| |
|----------------------------|
| HD metal body |
| Single button blade change |
| 12 per case |



EP-295

Knife Holder

| |
|----------------------------|
| Solid plastic construction |
| Belt clip |
| 10 per case |



EP-298

Hayley Cutter

| |
|-----------------------------------|
| Specialty, HD cutter |
| Ergonomic grip |
| Fits on most Encore slide cutters |



REPLACEMENT KNIFE BLADES



E100B

SD 13-Point, 9 mm
Snap-Off Blades

| |
|------------------------------------|
| 10 per pack |
| Compatible with: EP-100, EP-150 |



E110B

SD 8-Point, 18 mm
Snap-off Blades

| |
|--|
| 10 per pack |
| Compatible with: EP-110, EP-140, EP-160, EP-180 |



E120B

Standard Blade

| |
|--|
| 10 or 100 per pack |
| Compatible with: EP-120, EP-190, EP-200, EP-210, EP-230, EP-235, EP-250, EP-255, EP-285, EP-290 |



E220B

Hook Blade & Main Blade

| |
|------------------------------------|
| 3 hook & 6 main blades per pack |
| Compatible with: EP-220, EP-222 |



E225-CB

Circle Blade

| |
|----------------------------|
| 3 per pack |
| Compatible with: EP-215 |



E225-TB

Top Blade

| |
|-------------------------|
| 5 per pack |
| Compatible with: EP-225 |



E235B

Ceramic Blade

| |
|--|
| 5 per pack |
| Compatible with: EP-120, EP-190, EP-200, EP-210, EP-230, EP-235, EP-250, EP-255, EP-285, EP-290 |



E240B

Safety Knife Blade

| |
|---|
| 10 or 100 per pack |
| Compatible with: EP-120, EP-190, EP-200, EP-210, EP- 230, EP-240, EP-235, EP-250, EP-255, EP-285, EP-290 |



E260B

Slide Knife Blade

| |
|------------------------------------|
| 10 per pack |
| Compatible with: EP-260, EP-265 |



E270B

Tape Knife,
Single Edge Blade

| |
|-------------------------|
| 10 or 100 per pack |
| Compatible with: EP-270 |

STORAGE SOLUTIONS & CARTS



EP-705
Pallet Jack Tray

| |
|---------------------------------|
| 4 super-strength magnets |
| Solid steel construction |
| Attachable to any metal surface |



EP-710
Forklift Tray - Magnetic Box, Small

| |
|---------------------------------|
| 4 super-strength magnets |
| Solid steel construction |
| Attachable to any metal surface |



EP-715
Forklift Tray - Magnetic Box, Large

| |
|---------------------------------|
| 4 super-strength magnets |
| Solid steel construction |
| Attachable to any metal surface |



EP-5808
Tool Rack Standard Prong

| |
|-------------------------------------|
| Available in Single or Double Prong |
| Conveniently store your tools! |



EP-5809
Material Shelf Racking Hooks

| |
|---------------------------------|
| Solid steel construction |
| Customizable shelving accessory |
| Quick loading system |



EP-5800
Tray Cart

| | |
|----------------------------|----------------------------------|
| Size Options: Small, Large | Ships as flat pack |
| Solid steel construction | Fits 27 gal totes (not included) |
| Includes 5 inch casters | |



EP-5805-L
Ergonomic Power Mobile Cart - Laminate

| | |
|--|----------------------------------|
| White color with laminate cover | Smooth, lockable, swivel casters |
| Easy lift system for adjustable height | Mobile workstation |



EP-5805-S
Ergonomic Power Mobile Cart - Steel

| | |
|--|----------------------------------|
| Black color with steel cover | Smooth, lockable, swivel casters |
| Easy lift system for adjustable height | Mobile workstation |



EP-5810
Carton Stand

| | |
|--------------------------------------|--|
| Solid steel construction | Anti-slip wire design |
| Adjustable for different sized boxes | Rubber mounts included (casters sold separately) |



EP-5815
Two Story Carton Stand

| | |
|--------------------------------------|--|
| Solid steel construction | Anti-slip wire design |
| Adjustable for different sized boxes | Rubber mounts included (casters sold separately) |




EP-5820
Peanut Chute

| | |
|--------------------------|--------------|
| Securely attaches to bag | |
| Easily pours loose fill | Includes cap |

PACKAGING DISPENSERS

SPECIFY SIZE WHEN ORDERING



EP-5905

Wall Mounted Dispenser with Serrated Blade


| | |
|--|-------------------------|
| Size Options: 12", 15", 18", 24", 36", 48" | Includes serrated blade |
| Use with kraft, butcher, and newsprint paper | Quick load system |



EP-5910

Kraft Paper Dispenser

| | |
|---|-------------------|
| Size Options: 12", 15", 18", 24", 36", 48", 60" | Quick load system |
|---|-------------------|



EP-5912

Economy Paper/Poly Tubing Dispenser Kit

| | |
|--|------------------------|
| Length Options: 12", 24", 36", 48", 60", 72", 84" | |
| Size Options: -S (28" Tall, Table Top Mount) or -L (48" Tall, Floor Mount) | |
| Additional tiers sold separately (-S = 2 Tiers, -L = 4 Tiers) | Adjustable roll height |
| Alternate version with casters sold separately | Ships as flat pack |



EP-5915

Paper/Poly Dispenser

| | |
|--|--------------------|
| Length Options: 12", 24", 36", 48", 60", 72" | Static roll height |
| Size Options: 2 Tier or 3 Tiers | Steel construction |
| Casters sold separately | |



EP-5920

Industrial Dispenser



| | |
|---------------------------------------|-------------------------|
| Size Options: 12", 24", 36", 48", 60" | Use paper, film, & foil |
| Solid steel construction | Table & wall mountable |
| Industrial model | |



EP-5945

Sheeter Device

| |
|---|
| Size Options: 24" |
| Use kraft paper, poly sleeves, & stretch film |
| Slide cutter |



EP-5948-D

Honeycomb Dispenser - Double

| | |
|------------------------|---|
| Core Size: 1-3" | Easily & conveniently dispenses honeycomb |
| Max Roll Length: 18" | Unique pressure roller system |
| Max Roll Diameter: 10" | Can also hold tissue paper & more |



EP-5960

Vertical Paper/Poly Dispenser

| |
|---------------------------------------|
| Size Options: 12", 24", 36", 48", 60" |
| Solid steel construction |
| Casters sold separately |





EP-5955

Paper Crumpler with Idler System



| |
|---------------------------------------|
| Size Options: 15", 24", 36" |
| Solid steel construction |
| Idler brake system |
| Table (horizontal) & wall mountable |
| (Wall attachment kit sold separately) |



EP-5955-BM-HH

Paper Crumpler Bench Mount, High



| |
|------------------------------|
| Size Option: 15" |
| Feeds from top |
| Solid steel construction |
| Idler brake system |
| Adjustable dispensing height |



EP-5955-BM-LW

Paper Crumpler Bench Mount, Low



| |
|------------------------------|
| Size Option: 15" |
| Feeds from bottom |
| Solid steel construction |
| Idler brake system |
| Adjustable dispensing height |



EP-5956

Paper Dispenser Table Mount



| |
|------------------------------|
| Size Options: 15" or 24" |
| Solid steel construction |
| Compact table top dispensing |
| Table mount system |



EP-5957

Center Pull Kraft Paper Dispenser



| |
|--|
| Size Option: 15" |
| Solid steel construction |
| Center pull dispenser for coreless rolls |
| Table mount system |



EP-5957-BM

Center Pull Paper Dispenser, Bench Mount



| |
|--|
| Size Option: 15" |
| Solid steel construction |
| Center pull dispenser for coreless rolls |
| Bench mount system |




EP-5957-RS

Center Pull Kraft Paper Dispenser Roller System



| |
|--|
| Size Option: 15" |
| Solid steel construction |
| Center pull dispenser for coreless rolls |
| Roller system with lockable casters |



EP-5957-TT

Center Pull Kraft Paper Dispenser Table Top System



| |
|--|
| Size Option: 15" |
| Solid steel construction |
| Center pull dispenser for coreless rolls |
| Table top system |



EP-5959

Center Pull Paper Dispenser with Bearings



| |
|--|
| Can hold multiple rolls |
| Center pull dispenser for coreless rolls |
| Bearing roller system |
| Solid steel construction |



EP-5970
Mobile Floor Unit



EP-5975
Adjustable Mobile Floor Unit



| | |
|--------------------------|--|
| Solid steel construction | Height adjustable (telescoping) |
| Locking casters | Can fit the 24" version of EP- 5955 (Paper unit sold separately) |

| | |
|--------------------------|--|
| Solid steel construction | Height & angle adjustable |
| Locking casters | Can fit the 24" version of EP- 5955 (Paper unit sold separately) |



EP-5957-SA BATTERY TOOL
Center Pull Kraft Paper – Power Feed/Manual Cut System

EP-5978 BATTERY TOOL
Battery Paper Dispenser

EP-5985
Fully Automated Paper Crumpler

| | |
|-----------------------------------|--------------------------------------|
| Solid steel construction | Internal pull power system |
| Joy stick operated | Height & angle adjustable |
| Locking casters | Stand and foot pedal sold separately |
| Includes: 1 charger & 2 batteries | |

| | |
|---|-----------------------------------|
| Solid steel construction | Battery powered |
| Button & foot pedal operated | Height & angle adjustable |
| Locking casters | Includes: 1 charger & 2 batteries |
| Includes 1 roll holder, 2nd sold separately | |

| | |
|---|------------------------------------|
| Solid steel construction | Touch screen & foot pedal operated |
| Feeds, dispenses, & cuts to length | Locking casters |
| Height & angle adjustable | |
| Includes 1 roll holder, 2nd sold separately | |

MATERIAL DISPENSERS



EP-6000S

Wall Mount Unit - Single Arm



| | |
|-----------------------------|--------------------------|
| Size Options: 12", 24", 36" | Weight Capacity: ~50 lbs |
| Solid steel tubing | Includes mounting kit |



EP-6000D

Wall Mount Unit - Double Arm



| | |
|----------------------------------|------------------------------------|
| Size Options: 12", 24", 36" | Weight Capacity (per arm): ~50 lbs |
| Solid steel tubing | Includes mounting kit |
| Arm sizes are mixable by request | |



EP-6050S

Wall Mount Unit - Single Arm with Slide Cutter



| | |
|-----------------------------|--------------------------|
| Size Options: 12", 24", 36" | Weight Capacity: ~50 lbs |
| Slide cutter | Includes mounting kit |



EP-6050D

Wall Mount Unit - Double Arm with Slide Cutter



| | |
|----------------------------------|------------------------------------|
| Size Options: 12", 24", 36" | Weight Capacity (per arm): ~50 lbs |
| Slide cutter | Includes mounting kit |
| Arm sizes are mixable by request | |



EP-6220S

Floor Unit - Single Arm



| | |
|---------------------------------|--------------------------|
| Size Options: 12", 24", 36" | Weight Capacity: ~90 lbs |
| Brake system | Tear tag |
| Height adjustable (telescoping) | Locking casters |



EP-6220D

Floor Unit - Double Arm



| | |
|---------------------------------|------------------------------------|
| Size Options: 12", 24", 36" | Weight Capacity (per arm): ~65 lbs |
| Brake system | Tear tag |
| Height adjustable (telescoping) | Locking casters |
| (Arm sizes are mixable) | |



EP-6250S

Floor Unit - Single Arm with Slide Cutter



| | |
|---------------------------------|-------------------------|
| Size Options: 12", 24", 36" | Weight Capacity: ~90lbs |
| Slide cutter & brake system | Locking casters |
| Height adjustable (telescoping) | |



EP-6250D

Floor Unit - Double Arm with Slide Cutter



| | |
|---------------------------------|------------------------------------|
| Size Options: 12", 24", 36" | Weight Capacity (per arm): ~65 lbs |
| Slide cutter & brake system | Locking casters |
| Height adjustable (telescoping) | Arm sizes are mixable by request |



EP-6300

Economy Floor Unit



| | |
|----------------------------------|---|
| Size Options: 24", 48", 60", 72" | Weight Capacity: ~130 lbs |
| Slide cutter & wire brake | Use bubble, foam, poly sheets & shrink wrap |
| Locking casters | Gravity feed unit |



EP-6420

Floor Unit - Single Arm



| | |
|--|---------------------------|
| Size Options: 36", 48", 60", 72" | Weight Capacity: ~120 lbs |
| Tear tag | Locking casters |
| Single arm brake system (Arm stabilizer come standard for all sizes) | |



EP-6450

Floor Unit



| | |
|--|---------------------------|
| Size Options: 36", 48", 60", 72" | Weight Capacity: ~120 lbs |
| Slide cutter | Locking casters |
| Single arm brake system (Arm stabilizer come standard for all sizes) | |



EP-6455

Bi-Support Roll Stand



| | |
|---|---------------------------|
| Size Options: 24", 36", 48", 60", 72", 84", 96" | Weight Capacity: ~150 lbs |
| Height adjustable | Use bubble, foam, & poly |
| (Additional roll mounts sold separately) | Locking casters |



EP-6460

Premium Manual Cutter

Size Options: 12", 24", 36", 48", 60", 72", 84"

Robust rotary cutter system

Table top unit



EP-6465


Bi-Support Stand with Premium Manual Cutter

Size Options: 24", 36", 48", 60", 72", 84"

Solid steel construction

Robust rotary cutter system

Locking casters



EP-6470

Automatic Slide Cutter

Size Options: 24", 36", 48"

Battery powered cutter

Easy load system

Robust rotary cutter system

Manual load & pull

Includes: 1 charger & 2 batteries

BATTERY TOOL



EP-6475

Bi-Support Stand with Automatic Slide Cutter

Size Options: 24", 36", 48"

Battery powered cutter

Robust rotary cutter system

Use bubble, foam, poly, & paper

Locking casters

Includes: 1 charger & 2 batteries

BATTERY TOOL



EP-6480

Automatic Sheet Cutter

Size Options: 24", 36", 48"

Battery powered cutter

Feeds, dispenses, & cuts to length

Touch screen operated

Easy load system

Includes: 1 charger & 2 batteries

BATTERY TOOL



EP-6485

Bi-Support Stand with Automatic Sheet Cutter

Size Options: 24", 36", 48"

Touch screen operated

Battery powered cutter

Use bubble, foam, poly, single-face, & paper

Feeds, dispenses, & cuts to length

Includes: 1 charger & 2 batteries

BATTERY TOOL



EP-6495

HD Roll Stand with Automatic Sheet Cutter

Size Options: 24", 36", 48"

Touch screen operated

Battery powered cutter

Locking casters

Use single-face, kraft, and slip sheet


Feeds, dispenses, & cuts to length

Weight Capacity: 800 lbs

Includes: 1 charger & 2 batteries

BATTERY TOOL





EP-6500

Material Roll Stand

| | |
|---|--|
| Size Options: 24", 36", 48", 60", 72", 84", 96" | Weight Capacity: 200 lbs on each side, 400 lbs total |
| Use kraft paper, poly, & shrink wrap | |
| Locking casters | Solid steel construction |



EP-6525

HD Material Roll Stand

| | |
|---------------------------------------|---|
| Size Options: 24", 36", 48", 60", 72" | Adjustable feeding bar |
| Use kraft paper and corrugated | HD, robust locking casters |
| Made from HD, 2" steel | Includes belt lift for forklift loading |
| Weight Capacity: 800 lbs | |



EP-6540

Single Face / Foam Dispenser

| |
|--|
| Size Options: 24", 36", 48", 60", 72" |
| Specify: 25 or 36" bottom dispensing disk |
| Use corrugated, foam, poly rolls |
| All sizes come with 3.50" risers & casters |



EP-6550

Single Face Corrugated Dispenser

| |
|---|
| Size Options: 24", 36", 48", 60", 72" |
| Specify: 25 or 36" bottom dispensing disk |
| Use corrugated, foam, poly rolls |
| Slide cutter & brake mechanism |
| Sizes 24 - 48" come with 12" risers & casters |
| Sizes 60 - 72" come with casters only |



EP-6560

Single Face/Foam Dispenser with Premium Manual Cutter

| |
|---|
| Size Options: 24", 36", 48", 60", 72" |
| Specify: 25 or 36" bottom dispensing disk |
| Use corrugated, foam, poly rolls |
| Robust rotary cutter system & brake mechanism |
| All sizes come with casters only |



POLY TUBING & BAG DISPENSERS

SPECIFY SIZE WHEN ORDERING



EP-720

Poly Tubing Dispenser

Size Options: 6", 12", 24", 36"

Classic, simple design

Use poly tubing rolls



EP-730

HD Table-Top Poly Tubing Dispenser

Size Options: 6", 12", 24", 36", 48", 60", 72", 84", 96"
(Larger sizes available by request)

Classic design

Use poly tubing rolls



EP-740

Mobile Perforated Bag Dispenser



Size Options: 12", 24"

Use large poly bags

Height adjustable (telescoping)

Brake mechanism

Locking casters



EP-725

Poly Tubing Dispenser with Slide Cutter

Size Options: 6", 12", 24", 36"
(Larger sizes available by request)

Classic design

Use poly tubing rolls



EP-750

Poly Tubing Tape Sealer

3" with razor cutting enclosure

Steel & plastic construction

Sliding tape mechanism



EP-742

Economy Poly Bag/Tubing Stand

Size Options: 36" or 48"

Solid steel construction

Easy loading system

Floor & bench mountable

Casters available separately



EP-745

Poly Tubing, Kraft Paper, & Stretch Film Dispenser

Size Options: 12-18", 18-28", 24-36", 36-48", 48-60", 60-72", 72-84"

Core ID: 3"
(Other sizes available by request)

HD steel frame

Table mountable



Height adjustable
(telescoping)

Use kraft, foil, & poly

Casters available separately

STRETCH FILM DISPENSERS

SPECIFY SIZE WHEN ORDERING



EP-760

Hand Film Dispenser

| |
|---------------------------|
| Film Roll Range: 3 - 5" |
| Core ID Options: 2" or 3" |
| Economic hand dispenser |
| Ergonomic pistol handle |



EP-760-1 S/L

Hand Film Dispenser - Short/Long

| |
|--|
| Film Roll Options: 3" (short) or 5" (long) |
| Core ID: 1 1/2" |
| Tension adjustable |
| Ergonomic pistol handle |



EP-762

C-Clamp Holder

| |
|--|
| Solid steel construction |
| Wall mountable |
| Keep your hand film dispensers organized and off the floor |



EP-765

Hand Bundling Dispenser

| |
|--------------------------|
| Film Roll Range: 3" & 5" |
| Core ID: 3" |
| Tension adjustable |
| Magnetic attachment |



EP-768

Bundling Table Top Attachment

| |
|---|
| Table mountable box wrapping station |
| Robust steel tubing design |
| Retractable arms |
| Ability to add 3rd arm for larger sizes |



EP-769

Kraft Paper Table Top Attachment

| |
|---|
| Size Options: 18", 24", or 36" (Larger sizes available by request) |
| Table mountable |
| Robust steel design |
| Can use anything on a roll |



EP-770

U-Hook Stretch Film Holder

| |
|---------------------------------|
| 3 super-strength magnets |
| Solid steel construction |
| Attachable to any metal surface |



EP-772

Tower Film Holder

| |
|--------------------------|
| Solid steel construction |
| Table and wall mountable |



EP-775

Stretch Film Table Top Bundler

| |
|------------------------------------|
| Solid steel construction |
| Horizontal or vertical orientation |
| Table mountable |
| Core ID: 2 - 3" |
| Film Roll Range: 12 - 20" |



EP-780

Hand Inserts


| |
|---------------------------------|
| Core ID: 3" |
| Built-in brake |
| Comfort grip |
| Ears feature for roll stability |



EP-780-LITE

Hand Inserts Lite Economy

| |
|------------------|
| Core ID: 3" |
| Lightweight |
| Intuitive design |



EP-785

Core for Coreless Film

| |
|--|
| Core ID Options: 2" or 3" |
| Size Options: 13", 15", 18", 20" |
| Solid steel construction |
| Pairable with most Encore Packaging film applicators |



EP-786

Core for Coreless Film with Handles

| |
|----------------------------------|
| Core ID Options: 2" or 3" |
| Size Options: 13", 15", 18", 20" |
| Solid steel construction |
| Ergonomic handles |



EP-787

Core for Coreless Film with Dispenser

| |
|----------------------------------|
| Core ID Options: 2" or 3" |
| Size Options: 13", 15", 18", 20" |
| Solid steel construction |
| Base stabilizer |



EP-788

Wrapstik Economy

| | |
|--------------------------------------|------------------|
| Handle Length: 38 1/2" | Lightweight |
| Film Roll Range: 10 - 24" | High & low reach |
| Works best with pre-stretch | |
| Accommodates all core sizes | |
| Unit comes with basic support handle | |



EP-790

Wrapstik

| |
|-----------------------------|
| Handle Length: 35 1/2" |
| Works best with pre-stretch |
| Accommodates all core sizes |
| Film Roll Range: 10 - 24" |
| High & low reach |
| Tension adjustable |



EP-790-XL

Wrapstik XL

| |
|---------------------------------|
| Handle Length: 35 1/2 - 48 1/2" |
| Works best with pre-stretch |
| Accommodates all core sizes |
| Film Roll Range: 10 - 24" |
| High & low reach |
| Tension adjustable |



EP-795

Vertical Pallet Wrapper

| |
|-----------------------------|
| Film Roll Range: 40 - 72" |
| Core ID: 3" |
| Easy and smooth dispensing |
| Height & tension adjustable |
| 5 locking casters |





EP-800
Pistol Grip



EP-810
Pistol Grip with T-Handle



EP-820
Ball Grip



EP-830
Lightweight Dispenser for Pre-Stretch



| |
|---|
| Core ID: 2 - 3" |
| Film Roll Range: 12 - 20" |
| Roller bearing design for tension control |
| Base stabilizer |

| |
|---|
| Core ID: 2 - 3" |
| Film Roll Range: 12 - 20" |
| Roller bearing design for tension control |
| Base stabilizer |

| |
|---|
| Core ID: 2 - 3" |
| Film Roll Range: 12 - 20" |
| Roller bearing design for tension control |
| Base stabilizer |

| |
|------------------------------------|
| Core ID Options: 1 1/2", 2", or 3" |
| Film Roll Range: 15 - 20" |
| Use pre-stretch film |
| Quick connect feature |
| Includes magnet attachment |



EP-835
Lightweight Dispenser



EP-838
Economy Magnetic Dispenser



EP-838-BS
Bidirectional Roller Ultimate Stretch



EP-839
Pre-Tensioned Dispenser



| |
|---|
| Core ID Options: 2 or 3" |
| Film Roll Range: 15 - 18" |
| Tension adjustable for non-pre-stretch film |
| Quick connect feature |
| Includes magnet attachment |

| |
|--------------------------------|
| Core ID: 1 1/2", 2", and 3" |
| Size Options: 15", 18", or 20" |
| Tension adjustable |
| Includes magnet attachment |

| |
|--------------------------------|
| Core ID: 2 - 3" |
| Size Options: 15", 18", or 20" |
| Geared device for stretching |
| Includes magnet attachment |

| |
|--------------------------------------|
| Core ID: 2 - 3" |
| Size Options: 15", 18", or 20" |
| Tension adjustable |
| Includes magnet attachment and stand |



EP-840
Ultra Stretch



EP-860
Bubbleator



EP-880
Stringer Device



EP-890
Roper Device



| |
|---|
| Core ID: 2 - 3" |
| Film Roll Range: 12 - 20" |
| Use pre-stretch or thin gauge cast film |
| Maximizes stretch of film |

| |
|--------------------------------|
| Core ID: 2 - 3" |
| Film Roll Range: 12 - 20" |
| Use regular cast film |
| Creates pockets of pre-stretch |

| |
|---------------------------------|
| Core ID: 2 - 3" |
| Film Roll Range: 12 - 20" |
| Use pre-stretch film |
| Creates aerating strips of film |

| |
|---------------------------|
| Core ID: 2 - 3" |
| Film Roll Range: 12 - 20" |
| Use pre-stretch film |
| Film & rope adjustable |

STRETCH FILM ACCESSORIES



R34PC3

Poly Alligator Clip

| | |
|---------------------------------|------------------|
| Standard gauge | Easy load system |
| Securely ties stretch strapping | 1000 per case |
| Reusable | |



CS-4420

Corner Spike

| |
|---------------------------------|
| Helps quickly secure loads |
| Unique tie off system |
| Threader available in each case |
| 24 per case |



CS-4460-ECO

Corner Spike - Bio-Degradable Plastic

| |
|---------------------------------|
| Helps quickly secure loads |
| Unique tie off system |
| Threader available in each case |
| 24 per case |



EP-3600

Roper Strapping Cart



| |
|--|
| Manually converts pre-stretch film into strong strapping |
| Easy load system |
| Use pre-stretch film |
| Holds 1 roll at a time |
| Manual pull system |
| 10" rubber tires |



DT-750

Devil's Tail - Small

| |
|----------------------------|
| Helps quickly secure loads |
| Unique tie off system |
| Reusable |
| 25 per case |



DT-760

Devil's Tail - Large

| |
|----------------------------|
| Helps quickly secure loads |
| Unique tie off system |
| Reusable |
| 25 per case |



ORBITAL WRAPPERS



EP-6700-25

Motorized Ring Wrapper - 25"

| | |
|---|------------------------------------|
| Max Box Size: 13 x 13" | Includes: foot pedal operation |
| Efficient & easy multi-layer package protection | (V-shaped rollers sold separately) |
| Use 3" & 5" film rolls | |



EP-6700-25-DX

Motorized Ring Wrapper - Deluxe - 25"



| | |
|--|------------------------------------|
| Max Box Size: 13 x 13" | Use 3" & 5" film rolls |
| Includes deluxe motor with ability to control ring wrapping speed. | Includes: foot pedal operation |
| Efficient & easy multi-layer package protection | (V-shaped rollers sold separately) |



EP-6700-48-DX

Motorized Ring Wrapper - Deluxe - 48"

| | |
|--|--|
| Max Box Size: 24 x 24" | Holds 12" film rolls, tension adjustable |
| Includes deluxe motor with ability to control ring wrapping speed. | Includes: foot pedal operation, stand |
| Efficient & easy multi-layer package protection | (V-shaped rollers sold separately) |



Flat roller set up



V-shaped roller set up

CUSTOM PROJECTS & ABOUT US

CUSTOM PROJECTS

ENCORE PACKAGING, LLC STRIVES TO CATER TO CUSTOMERS' PRODUCT NEEDS BY USING OUR UNIQUE CAPABILITIES TO PROVIDE A ONE-OF-A-KIND SOLUTION.

Privately labeled products can help brand development, recognition, marketing campaigns, and repeat business. By working together, we can bring to life the solutions you need to meet your customers' needs by creating, adapting, or modifying a packaging product.

Private Labeling is available by request on tape dispensers, utility knives, film dispensers, kraft paper dispensers, and more! Please note that custom size requests for existing products can be provided depending on the product. We can also provide private labeling to our catalogs and product literature.


To get started or to learn more information, contact our customer service team:

P (847) 735-8105 | customerservice@encorepack.com



INNOVATION IN PACKAGING TOOLS & EQUIPMENT

Proudly based out of Chicago, Illinois, **ENCORE PACKAGING** is a supplier offering comprehensive packaging solutions. From basic, to revolutionary designs, our products are utilized by thousands of clients around the world. In today's demand driven economy, Packaging and Distribution Companies are unsung heroes. Overwhelmingly, **ENCORE PACKAGING** is the only remaining domestic manufacturer of critical infrastructure tools and equipment used for the movement of cargo, military equipment, and basic commodities. Our efforts ensure our clients can seamlessly execute operations without interruption. In addition, we pride ourselves on being front runners in the development of eco-friendly solutions that exceed customer packaging needs. Don't just take our word for it: we are proud to have been included in the top 50 most innovative companies by Crane Chicago in 2021.



SELLING ONLY TO DISTRIBUTORS

Terms & Conditions for all transactions, product use, and content relating to Encore Packaging, LLC are listed: www.encorepack.com/terms.html

DISCLAIMER: THE INFORMATION CONTAINED IN THIS PRICE LIST IS FOR GENERAL INFORMATION PURPOSES ONLY. THE INFORMATION IS PROVIDED BY ENCORE PACKAGING, LLC AND WHILST WE ENDEAVOR TO KEEP THE INFORMATION UP-TO-DATE AND CORRECT, WE MAKE NO REPRESENTATIONS OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, ABOUT THE COMPLETENESS, ACCURACY, RELIABILITY, SUITABILITY OR AVAILABILITY WITH RESPECT TO THE PRICE LIST OR THE INFORMATION, PRODUCTS, SERVICES, OR RELATED GRAPHICS CONTAINED ON THE WEBSITE FOR ANY PURPOSE. ANY RELIANCE YOU PLACE ON SUCH INFORMATION IS THEREFORE STRICTLY AT YOUR OWN RISK. IN NO EVENT WILL WE BE LIABLE FOR ANY LOSS OR DAMAGE INCLUDING WITHOUT LIMITATION, INDIRECT OR CONSEQUENTIAL LOSS OR DAMAGE, OR ANY LOSS OR DAMAGE WHATSOEVER ARISING FROM LOSS OF DATA OR PROFITS ARISING OUT OF, OR IN CONNECTION WITH, THE USE OF OUR PRODUCTS.




TABLE OF CONTENTS

1 STEEL TENSIONERS

Stainless Steel Tensioners

2 STEEL SEALERS & CUTTERS

3 STAINLESS STEEL TOOLS

4 POLY & CORD TENSIONERS

5 POLY SEALERS

6 BATTERY STRAPPING TOOLS

7 SEALS & BUCKLES

8 STEEL & POLY DISPENSERS

10 MOBILE STRAPPING TRUCKS

Tool Balancers

11 CORD DISPENSERS

12 STRAPPING KITS

13 MINI COILS & PRECUTS

14 EDGE PROTECTORS & CUTTER

15 RUBBER BANDS

16 TAPE DISPENSERS

Replacement Tape Blades & Guards

17 KNIVES

Replacement Knife Blades

19 STORAGE SOLUTIONS & CARTS

20 PACKAGING DISPENSERS

23 MATERIAL DISPENSERS


27 POLY TUBING & BAG DISPENSERS

28 STRETCH FILM DISPENSERS

31 STRETCH FILM ACCESSORIES

32 ORBITAL WRAPPERS

33 CUSTOM PROJECTS



Distribution Central

Register on our website to access helpful product information:

- Schematics
- Sell sheets
- Videos (information & instruction)
- Ordering & tracking (coming soon)

Questions?

Contact distribution@encorepack.com for answers or to help register.

P (847) 735-8105 | F (847) 735-8297
sales@encorepack.com | www.encorepack.com
201 Park Avenue, Lake Villa, IL 60046
P.O. Box 595, Winnetka, IL 60093